

# Rescue Medication Priming Chart

PRIMING & CLEANING INHALERS				
Medication	Type	Frequency	Prime #	Other Information Related To Inhaler
<b>MAXAIR AUTOHALER</b>	CFC	Before First Use	2	*Has 400 doses
		After 2 Days Non Use	2	*Turn upside down, wipe mouthpiece clean with dry cloth and wipe spray hole with dry cotton swab
<b>ProAir/ ALBUTEROL</b>	HFA	Before First Use	3	*Has 200 doses
		After 14 Days Non Use	3	*Remove canister and rinse with warm water from top to bottom for 30 seconds weekly
<b>PROVENTIL/ ALBUTEROL</b>	HFA	Before First Use	4	*Has 200 doses
		After 14 Days Non Use	4	*Remove canister and rinse with warm water from top to bottom for 30 seconds weekly
<b>VENTOLIN / ALBUTEROL</b>	HFA	Before First Use	4	*Discard after 6 months of opening if not empty
		After 14 Days Non Use	4	*Has 60 or 200 doses
		If Dropped	4	*Has Counter *Remove canister and rinse with warm water from top to bottom for 30 seconds weekly
<b>XOPENEX</b>	HFA	Before First Use	4	*Has 200 doses
		After 3 Days Non Use	4	*Remove canister and rinse with warm water from top to bottom for 30 seconds weekly

<p>CFC - Chlorofluorocarbon HFA - Hydrofluoroalkane</p>
---